

EURO
SERIES



300x600MM
DIGITAL WALL TILES

AESTHETIC ESSENCE WITH FUTURISTIC VIEW POINT

Experience the moments of your lifetime. A place holds lots of memories and we work to make the ambience of these places worth your memories. We bring the exceptional beauty of innovative creations. Never generalise, get your aura unique designs.

We give power to your place. An ambience that talks to your audience that brings the aura of serenity and tranquility without any efforts; because we put in the efforts while framing the extraordinary designs for you.



EVERY SINGLE PLACE INSPIRES US TO CREATE NEW LIVING

Inputting scholar manpower at work along with the state of the art technology, has achieved the title to epitome of Ceramic tiles manufacturer. The company intends to serve the best with high quality and accuracy, in result bringing the gratifying innovation to the market. The company's philosophy says that they don't merely manufacture but create art and craft visuals that surpass the general beauty standards.

was pioneered in Morbi with a vision to combine the 5 elements of mother nature; Air, fire, water, earth, space and process them to get a output that has all the qualities of these components. Company intended to modify the nature to develop something so beautiful that elevates your ambience and leaves everyone in awe of the inspiring decor you bring to them.

The state of the art technology coupled with exciting design support, made the company become the leader in wall tiles in India. Internationally, the company has done extremely well in expanding its market base in very short period. Its Distribution channels and excellent brand image make the company a favourite of the distributors across India. The styles and the new introductions are always waited for and cherished.

Our Mission

We intend to conduct our business in a way that not only meets but exceeds the Expectations of our customers, business partners, distributors, buyers and creditors, as Well as the communities in which we operate and society at large. As a part of our mission we will

- Empower and train our employees to deliver better work outputs.
- We will introduce the designs that become the new trend, benefiting our customers.
- We will make our products easily available and largely affordable to make our distributors and importers profitable.
- We will make all our actions socially and morally responsible



Our Technologies

The Plant consists a Heavy Capacity Presses, (Made in Italy) Glazed Lines, Roller Kilns (All Made in Italy), Boil Mill Grinding Unit, Spray Dryer Made in China. Raw Material is procured from famous supplier and being brought from Rajasthan and also imported from Ukraine.



Technology-Certified





THE RESULT OF A REVOLUTIONARY TECHNOLOGY THAT **ELIMINATES**

IWe bring the revolutionary mechanism to manufacture modern tile collection. The technical know-how we use has the most upgraded version that can create great designs for your decor.

Merely technology can not bring the results we intend to provide. Our exceptional scholars put in their best work in their knowledge to get a output that not only satisfies our customers but make us the leading manufacturer as the best quality providers.

Superior technical characteristics of our wall tiles makes them suitable for use as work tops of all kinds, with a visual appeal that equals and even surpasses that of any other material.

With the help of pressure and temperature we transform 100% natural materials into porcelain surface which combines the best of ceramics design with natural stone resistance.



FROST
RESISTANCE



CHEMICAL
RESISTANCE



WATERPROOF





THERMAL
RESISTANCE



STAIN
RESISTANCE



FIREPROOF



MATT

collection

The intriguing decorative textures and surfaces
the detail of personality that embellishes and
attracts for the air elegant that gives the space.

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6336



LT



HL_1



HL_2



LT

6336



LT



HL_3



HL_4



LT


6336



LT



HL_5



HL_6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6336



LT



HL_7



HL_8



LT

6336



LT



HL_9



HL_10



LT

6336



LT



HL_11



HL_12



LT

6336

300x
600MM **DIGITAL**
WALL TILES


EURO
SERIES



LT



HL_13



LT



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6337



DK



HL_2



HL_4



DK


6337



DK



HL_5



HL_6



DK

6337



DK



HL_7



HL_9



DK

6337

**300x
600MM** **DIGITAL**
WALL TILES

EURO
SERIES



DK



HL_1



HL_3



DK



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant




Resistant to
Staining

EURO
SERIES

6337



DK



HL_10



HL_11



DK

6337



DK



HL_12



HL_13




DK

6337



DK



HL_14



DK



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6338




LT



HL_1



HL_2



LT

6338




LT



HL_3



HL_4



LT


6338




LT



HL_5



HL_6



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6338




LT



HL_8



HL_9



LT

6338



LT



HL_10



HL_11



LT

6338




LT



HL_12



HL_13



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6338



LT



HL_14




HL_17



LT


6338



LT



HL_18



HL_19



LT


6338



LT



HL_20




LT

6338

300x
600MM DIGITAL
WALL TILES


EURO
SERIES



LT



HL_16



LT



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6339



DK



HL_1



HL_2



DK

6339



DK



HL_3



HL_4




DK


6339



DK



HL_5



HL_6



DK

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6339



DK



HL_8



HL_9



DK

6339



DK



HL_10



HL_11



DK

6339



DK



HL_12



HL_13



DK

6339

300x
600MM DIGITAL
WALL TILES

EURO
SERIES



DK



HL_14



DK



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6340



DK



HL_1



HL_2



DK

6340



DK



HL_3



HL_4



DK

6340



DK



HL_5



HL_8



DK


6340

**300x
600MM** **DIGITAL**
WALL TILES

EURO
SERIES



DK



HL_06



DK



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6340



DK



HL_9



HL_10



DK

6340




DK



HL_11



HL_12



DK

6340



DK



HL_13



HL_14



DK

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6340



DK



HL_15



HL_16



DK

6341



LT



HL_17



HL_17



LT

6341



LT



HL_1



HL_2



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6341




LT



HL_3



HL_4



LT


6341




LT



HL_5



HL_6



LT

6341




LT



HL_8



HL_10




LT

6341

**300x
600MM** **DIGITAL**
WALL TILES


EURO
SERIES



DK



HL_09



DK



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


6341



LT



HL_11



HL_12



LT

6341



LT



HL_13



HL_14



LT


6341



LT



HL_16



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6529




LT



HL_1



HL_2



LT

6529




LT



HL_3



HL_4



LT


6529



LT



HL_5



LT



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES


6529




LT



HL_6



HL_7



LT

6529




LT



HL_8



HL_9




LT

6530



DK



HL_1



DK



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6530



DK



HL_2



HL_3



DK

6530



DK



HL_4



HL_5



DK

6530



LT



HL_6



HL_7



DK

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant




Resistant to
Staining

EURO
SERIES


6530



DK



HL_8



HL_9



DK

6531



LT



HL_1



HL_2



LT

6531



LT



HL_3



HL_4



LT

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant



Frost
Resistant



Resistant to
Staining

EURO
SERIES

6531



LT



HL_5



HL_6



LT

6531



LT



HL_7



HL_8




LT

6531



DK



HL_9



LT



**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant




Frost
Resistant



Resistant to
Staining

EURO
SERIES

6532



DK




HL_1



DK

6532



DK




HL_2



DK

6532



DK



HL_3



DK

**300x
600MM** **DIGITAL
WALL TILES**



Resistant to
Abrasion



Anti
Slip



Breaking
Strength



Thermal Shock
Resistant




Frost
Resistant



Resistant to
Staining

EURO
SERIES

6532




DK



HL_4




HL_5



DK

6532




DK



HL_6




HL_7



DK

6532




DK



HL_8



HL_9



DK

TECHNICAL DETAILS

Sr No.	CHARACTERISTIC	TEST METHOD	IS 15622:2013 GROUP B III	OUR VALUE
A	Dimension & Surface Quality		Rectified	Rectified
1	Deviation in Length & Width	IS - 13630 - 1	± 0.3%	± 0.1%
2	Deviation in Thickness	IS - 13630 - 1	± 5.0%	± 3.0%
3	Straightness of Side	IS - 13630 - 1	, +/-0.15%	± 0.1%
4	Rectangularity	IS - 13630 - 1	± 0.2%	± 0.15%
5	Surface Flatness	IS - 13630 - 1	± 0.3%	± 0.2%
6	Surface Quality	IS - 13630 - 1	95% of The Tiles Free From Visible Defect	95%
B	Physical Properties			
1	Water Absorption	IS - 13630 - 2	10 - 20%	18%
2	Modulus Of Rapture	IS - 13630 - 6	> 15 N/MM ²	> 17 N/MM ²
3	Flexure Breaking Strength	IS - 13630 - 6	> 600 N	> 700 N
4	Moisture Expansion	IS - 13630 - 3	0.04% Max.	0.01% Max.
5	Scratch Hardness (Moh's)	IS - 13630 - 13	Min. 3	Min. 3
6	Resistance of Surface Abrasion	IS - 13630 - 11	Min. II	Min. II
7	Thermal Expansion	IS - 13630 - 4	6 x 10 ⁻⁶ K ⁻¹	6 x 10 ⁻⁶ K ⁻¹
8	Thermal Shock Resistance	IS - 13630 - 5	Min. 10 Cycles	10 Cycles Passed
9	Crazing Resistance	IS - 13630 - 9	Min. 04 Cycles	04 Cycles Passed
C	Chemical Properties			
1	Resistance to Staining	IS - 13630 - 8	Class I Min.	Class II
2	Household Chemicals	IS - 13630 - 8	Class AA Min.	Class AA
3	Acid Resistance	IS - 13630 - 8	Resistance	Resistance

PACKING DETAILS

DIMENSION	PIECES	COVERAGE
300 X 600 MM	5	0.90 Sq.Mtr.

Note:

Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

EURO
SERIES