



HELIS CERAMICA
Strength In Shine

1200x1800
COLLECTION

EXTRA
ORDINARY SIZE



9MM



A technological innovation in the ceramic industry that aspires to inspire and fully realises the concept of customization. Our 1200x1800mm tiles are intricately crafted and flawlessly executed. They have a variety of designs and tones, not to mention an amazing 9 mm thickness that provides dimensional stability and endurance.



Scratch & impact resistant

Doesn't scratch from sharp objects & absorbs heavy impacts while maintaining its integrity.



Hygienic

Ideal for direct contact with food & prevents the proliferation of fungi and bacteria...



Easy to clean

Easy daily maintenance without the need for special products.

Abrasion resistant

It features great resistance to wear and tear, unalterable over time.



Resistant to ice and frost

Stable to extreme weather conditions;
suitable for both indoors and outdoors.

Resistant to high temperatures

Resists direct contact with hot utensils
without altering the look and performance.



The image is a full-page advertisement. The left half features a photograph of a woman with long blonde hair, wearing a light blue halter-neck dress, sitting in a meditative lotus position on a log floating in a calm lake. Her reflection is clearly visible in the still water. The background shows a hazy horizon and distant mountains. The right half of the image has a white background with a large, faint, grey marble pattern. In the bottom right corner of this section, the word 'Glossy' is written in a bold, black, sans-serif font, underlined. Below it, a paragraph of text describes the features of glossy finish tiles.

Build a space
second to none


Glossy

Entice all the gazes with these beautiful looking potent glossy finish tiles that not only portray high-end elegance but also seamless perfection. Use of modern polishing technology gives the surface the touch of lavish glamour. The exclusive kiln practice conducted on these makes them strong enough to bear everyday wear and tear, adding life to the surface glow. The glare-free shine clubbed with robust built is here and here to stay.

Lavica Pearl



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Lavica Grey



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Lavica Beige



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Statuario Rose



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Statuario Light



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Bottochino Royal



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Avorio crema



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Avorio Grey



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**



Berlin Beige



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**



Oniciata Brown



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Oniciata Grey



2 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm** | Also Available in MATT Finish
As " **M-Oniciata Grey** "

Pulpis Steel



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Pulpis Dove



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Pulpis Crema



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Grigia Grey



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**



Veined White



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Casa Grey



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Cadica



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Extra White



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**



Onyx



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Avenue Ivory



4 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Volakas



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Breccia Lava



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**



Fartoli White



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Summer White



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Coralito




3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Fusion Blanca



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Fusion Peanut



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Fusion Marfil



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Lumos Marron



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Lumos Avorio



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**



Lumos Cio



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Lumos Crema



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Lumos Bianca



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Lumos Grigio



3 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Tierra Smoke



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Tierra Hazel



2 - Random Faces



Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Eliza Beige



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

Eliza Natural



3 - Random Faces




Finish: **Glossy** | Size: **1200X1800mm** | Thickness: **9mm**

◉ Bardilio Grey



3 - Random Faces



Finish: **HighGlossy** | Size: **1200X1800mm** | Thickness: **9mm**

◉ Cadicar Earth



3 - Random Faces



Finish: **HighGlossy** | Size: **1200X1800mm** | Thickness: **9mm**



Cadicar Earth

◉ **Aller**



3 - Random Faces



Finish: **HighGlossy** | Size: **1200X1800mm** | Thickness: **9mm**

◉ **Pitosa Choco**



3 - Random Faces



Finish: **HighGlossy** | Size: **1200X1800mm** | Thickness: **9mm**

◉ **Pitosa Grey**



4 - Random Faces



Finish: **HighGlossy** | Size: **1200X1800mm** | Thickness: **9mm**

◉ **Kaiti Crema**



2 - Random Faces



Finish: **HighGlossy** | Size: **1200X1800mm** | Thickness: **9mm**

Carving

Perfection in our passion and habit. At Accord, we are mastering the art to build a captivating comfort zone to your place. It will definitely stun the onlookers with the amplified tile finish. contact us to fall in love with the latest tile trends.

A new attitude
towards ceramic designs

Luxury
Porcelain
Slabs



M-Avorio Crema



2 - Random Faces



Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**

M-Pacific White



3 - Random Faces



Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**

M-Mafin Rosso



3 - Random Faces



Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**

M-Estello Brown



2 - Random Faces



Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**

M-Nova Beige



2 - Random Faces




Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**

M-Nova Ash



2 - Random Faces



Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**

M-Avorio Ice



2 - Random Faces



Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**

M-Avorio Tan



2 - Random Faces



Finish: **Carving** | Size: **1200X1800mm** | Thickness: **9mm**



Mesmerizing
elegance
for every space

Matt

With the sheer exhilaration of design, it revamps the overall look of your place - commercial or residential. Levitate the grace of finish and magnet the eyes of onlookers. so, let's make your space emit style with the unique set of designs, incomparable finish and vibrant sizes,

High on
design and
quality

M-Dover Quilt



2 - Random Faces



Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**

M-Dover Sandbar



2 - Random Faces



Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**

M-Dover Steel



2 - Random Faces



Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**

M-Dover Taupe



2 - Random Faces




Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**

M-Savoi Light



3 - Random Faces



Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**

M-Savoi Grey



3 - Random Faces



Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**

M-Travertino



2 - Random Faces



Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**

M-Turke Lana



3 - Random Faces



Finish: **Matt** | Size: **1200X1800mm** | Thickness: **9mm**



M-Savoi Grey

TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficent of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficent of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class A A
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. C lass A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200X1800mm	9mm	2 pcs.	4.32 sq. mtr.	92 kg



HELIS CERAMICA
Strength In Shine

Address
Bucureşti Sectorul 2, Şoseaua COLENTINA,
Nr. 16, Bloc A5, Ap. B44

Contact Number
Mr. Gurvinder Singh - +359877411616
Mr. Sneh Patel - +918087750173
Email Id - Helisceramicasrl@gmail.com