



HELIS CERAMICA
Strength In Shine

1200x2400_{mm}
MIGHTY SIZE



JULY 2022



ILLUMINATING SPACES WITH THE GRAND SIZE
OF TILES AND ITS UNIQUE DESIGNS

WE CREATE
Colossal
PRODUCT RANGE



**1200
X
2400
mm**

MIGHTY SIZE

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile
solutions



Easier
to lay



Resistant to
chemical




Resistant
to loads



Resistant
to stains




Wide
range



GALAXY STATUARIO (BOOK MATCH)

BOOK MATCH A+B



GRONZA WHITE

BOOK MATCH A+B





ALTIMO WHITE (BOOK MATCH)

BOOK MATCH A+B



COVELANO LASA (BOOK MATCH)


BOOK MATCH A+B



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



BROCKEN BRECIA (BOOK MATCH)

BOOK MATCH A+B



BRECCIA MONET

BOOK MATCH A+B



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



CHIFFON BEIGE

BOOK MATCH A+B



BETHANY BLUE

BOOK MATCH A+B



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness

*



ALONZO BLUE

8 FACE BOOK MATCH




*



ELITE BLACK

BOOK MATCH A+B



*Book Match Series




FLOOR & WALL : ALONZO BLUE

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness

*



PATAGONIA BOOK MATCH BOOK MATCH A+B




*



EXXARO GREY BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : PATAGONIA BOOK MATCH

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



STATUARIO BELGIA (CONTINUE) 3 FACE CONTINUE




STATUARIO AFYON 3 FACE CONTINUE



PACIFIC WHITE 4 FACE CONTINUE



EMBER WHITE 3 FACE CONTINUE



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range

*



HOIST WHITE 3 FACE CONTINUE



*



GLORIOUS WHITE (CONTINUE) 3 FACE CONTINUE




*



ATLANTIC WHITE (CONTINUE) 2 FACE CONTINUE



*



IMPACT STATUARIO (CONTINUE) 3 FACE CONTINUE




1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness



BETEL WHITE 2 RANDOM



STATUARIO GOLD 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



ATLANTIC WHITE 2 RANDOM



SUMMER WHITE 4 RANDOM



Ready To Load



WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE

1200x
2400mm


HIGH GLOSSY FINISH

9mm thickness



SUMMER WHITE

BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : SUMMER WHITE

1200x
2400mm

HIGH GLOSSY FINISH


DECOR SERIES

9mm thickness



M 1001

1 RANDOM



*Dark High Glossy Series



WALL : M 1001

1200x
2400mm


HIGH GLOSSY FINISH

9mm thickness




ALEX CALACATTA

3 RANDOM



ONYX LUXURY

3 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



ZED ONYX ICE

4 RANDOM



ZED ONYX CLASSIC

4 RANDOM



Ready To Load



Ready To Load

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



REGAL NATURAL 3 RANDOM



REGAL BEIGE 3 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



ELIZA BEIGE 3 RANDOM



VICTORIA BEIGE 4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



TRAVENTINO CREMA

2 RANDOM



DYNA SUPREME

2 RANDOM



FLOOR : DYNA SUPREME

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



LAVANET BEIGE 3 RANDOM



BERLIM BEIGE 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



DEVCI CREMA 2 RANDOM



DEVCI GREY 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



BRECCIA BEIGE 3 RANDOM



BRECCIA LAVA 2 RANDOM



FLOOR : BRECCIA BEIGE

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness

*



BRECCIA CAPRAIA 4 RANDOM



*



ARENA DUNE 2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads




Resistant
to stains




Wide
range


*




PORTORO GOLD 2 RANDOM



*



PORTORO 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



SONATA WHITE 3 RANDOM



SONATA BRONZE 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



TITANIUM BROWN 3 RANDOM



TITANIUM NATURAL 3 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



BIANCO LASA

2 RANDOM



LEVANTO BROWN

4 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



LEVANTO LIGHT

4 RANDOM



LEVANTO NATURAL

4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness



ARMANI BEIGE 2 RANDOM



ARMANI GOLD 2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads




Resistant
to stains




Wide
range



ARMANI GREY 2 RANDOM



ARMANI GRIS 2 RANDOM






WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness


*




FOREST BROWN 2 RANDOM



*



TOPAZ BROWN 1 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range


*




PATAGONIA 3 RANDOM



*



EXOTIC WHITE 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



TURKE LANA 1 RANDOM



CRISTAN STONE 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains



Wide range



ICE BERG BLUE 3 RANDOM



ARISTONE CEROCHE 2 FACE CONTINUE



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness




TRAVENTINO BEIGE 1 RANDOM



*



SEMOND PAUL 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range


*




TRIESTA NOIR 3 RANDOM



*



RAINBOW BROWN 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range




BLACK RIVER

4 RANDOM





AZUL CIELO

3 RANDOM




NERO MARQUINA

3 RANDOM



SAHARA BLACK

2 RANDOM




1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness




NARDO GREY 2 RANDOM



*



PALETHORN 3 RANDOM



*Dark High Glossy Series



FLOOR & WALL : NARDO GREY

1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



SUMMER WHITE 4 RANDOM



REGAL NATURAL 3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



ORION CREMA 4 RANDOM



ORION WHITE 4 RANDOM



Ready To Load

1200x
2400mm

RUSTIC MATT FINISH


9mm thickness



RIZ CEDAR 2 RANDOM



RIZ SILVER 2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains




Wide
range



CAPRON CREMA 3 RANDOM



CAPRON GREY 3 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



MEXXO SIENNA 4 RANDOM



MEXXO LIGHT 4 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



TUNA ROCK ICE 2 RANDOM



TUNA ROCK GREY 2 RANDOM




Ready To Load


1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



SENTILIA BROWN 1 RANDOM



DUST 4 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



MILANO SILVER 3 RANDOM



MILANO GREY 3 RANDOM



Ready To Load

1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



CORTEX CEDAR

2 RANDOM



CORTEX AZURE

2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains




Wide
range



SANDUNE CAFE

1 RANDOM



ROOST WOOD

1 RANDOM



Ready To Load


*Decor Series

1200x
2400mm

RUSTIC MATT FINISH


DECOR SERIES

9mm thickness



MULBERRY WOOD DECOR

1 RANDOM



LENOX WOOD

2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



MEPAL WOOD BROWN

5 RANDOM



MEPAL WOOD

5 RANDOM



1200x
2400mm

CARVING FINISH

9mm thickness



BURBERRY BEIGE 2 RANDOM



BURBERRY BROWN 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BURBERRY GREY 2 RANDOM



Ready To Load

1200x
2400mm

CARVING FINISH

9mm thickness



STUCCO BEIGE 2 RANDOM



CORTEN BEIGE 2 RANDOM



FLOOR : STUCCO BEIGE



1200x
2400mm

CARVING FINISH


→ 9mm thickness



RUBY QUARTZ SEAL 4 RANDOM



RUBY QUARTZ ASH 4 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical



Resistant
to loads



Resistant
to stains



Wide
range



LURENT BROWN 5 RANDOM



LURENT BLUE 5 RANDOM



1200x
2400mm

RICH SILK FINISH

9mm thickness



BRECCIA MARINO LATTE

2 RANDOM



BRECCIA MARINO NATURAL

2 RANDOM



Versatile
solutions



Easier
to lay



Resistant to
chemical




Resistant
to loads



Resistant
to stains



Wide
range



BRECCIA MARINO ASH

2 RANDOM



Ready To Load

TECHNICAL SPECIFICATION OF ACCORD SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficent of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9mm	1 pcs.	2.88 sq. mtr.	60 kg



HELIS CERAMICA
Strength In Shine

Address
București Sectorul 2, Șoseaua COLENTINA,
Nr. 16, Bloc A5, Ap. B44

Contact Number
Mr. Gurvinder Singh - +359877411616
Mr. Sneh Patel - +918087750173
Email Id - Helisceramicasrl@gmail.com